

MATH 1342

Section 8.2

Inference for a Population Proportion

For these inferences, p_0 represents the given population proportion.

$$H_0 : p = p_0$$

$$H_a : p \neq p_0 \text{ or } p < p_0 \text{ or } p > p_0$$

Conditions:

1. The sample must be an SRS from the population of interest.
2. The population must be at least 10 times the size of the sample.
3. The number of successes and the number of failures must each be at least 10 (both $n\hat{p} \geq 10$ and $n(1 - \hat{p}) \geq 10$).

Ha: $p \neq p_0$

To find critical numbers:

$$\pm qnorm(a/2)$$

To find the p-value:

$$2 * pnorm(z)$$

Ha: $p < p_0$

To find critical numbers:

$$qnorm(a)$$

To find the p-value:

$$pnorm(z)$$

Ha: $p > p_0$

To find critical numbers:

$$qnorm(1-a)$$

To find the p-value:

$$1 - pnorm(z)$$

Z-Test Statistic

If p^\wedge is given as a percent or proportion or decimal, use that value. Otherwise, calculate p^\wedge

Recall, the statistic used for proportions is $\hat{p} = \frac{\text{\# of successes}}{\text{\# of observations}}$.

For tests involving proportions that meet the above conditions, we will use the z – test statistic where

$$z = \frac{\hat{p} - p_o}{\sqrt{\frac{p_o(1 - p_o)}{n}}}$$

Examples:

n = 1000
x = 575
p = 50% = .50

Ho: p = 0.50
Ha: p > 0.50

No alpha was provided.



3. A new shampoo is being test-marketed. A large number of 16-ounce bottles were mailed out at random to potential customers in the hope that the customers will return an enclosed questionnaire. Out of the 1,000 returned questionnaires, 575 indicated that they like the shampoo and will consider buying it when it becomes available on the market. Perform a hypothesis test to determine if the proportion of potential customers is more than 50%.

```
phat=575/1000  
phat  
1] 0.575  
1000*phat  
1] 575  
1000*(1-phat)  
1] 425
```

$$z = \frac{\hat{p} - p_0}{\sqrt{\frac{p_0(1-p_0)}{n}}} \approx \frac{(phat - 0.50)}{\sqrt{0.50 * (1 - 0.50) / 1000}} \approx 4.743416$$

P-Value Test:

```
1-pnorm(4.743416)  
1] 1.050721e-06
```

$p \approx 0$

$p < 1\%$

Reject H_0 with overwhelming evidence.

Popper 28:

Mars Inc. claims that they produce M&Ms with the following distributions:

Brown	30%	Red	20%	Yellow	20%
Orange	10%	Green	10%	Blue	10%

A bag of M&Ms was randomly selected from the grocery store shelf, and the color counts were:

Brown	14	Red	14	Yellow	5
Orange	7	Green	6	Blue	10

$$H_0: p = .30$$

$$H_a: p \neq .30$$

Conduct an appropriate test of the manufacturer's claim for the proportion of brown M&Ms. Test with a significance of $\alpha = 0.05$

1. Identify the null hypothesis.

- a. $p = 0.50$ **b. $p = 0.30$** c. $p = 0.14$ d. $p = 0.25$

2. Identify the alternate hypothesis.

- a. $p < 0.30$ b. $p > 0.30$ **c. $p \neq 0.30$** d. $p = 0.30$


3. Calculate the sample proportion.

- a. $p^{\wedge} = 0.25$** b. $p^{\wedge} = 0.14$ c. $p^{\wedge} = 0.30$ d. $p^{\wedge} = 0.56$

$$\frac{14}{(14+14+5+7+6+10)}$$

$$= 0.25$$

4. Which diagram is an appropriate diagram of the rejection region?



$$qnorm(0.05/2)$$

$$= -1.959964$$

5. What is the rejection region?

- a. $z < -1.960$ b. $z > 1.960$ c. $-1.960 < z < 1.960$ **d. $z < -1.960 \cup z > 1.960$**

Popper 28, continued:

6. Calculate the test statistic.

- a. $z = 0.816$ b. $z = -0.816$ c. $z = 0.50$ d. $z = 0.30$

7. Does this value fall within our rejection region? a. Yes

b. No

8. Calculate the p-value.

a. 0.207

b. 0.414

c. .500

d. 0.14

9. Draw a conclusion.

a. Manufacturer's Claim is Valid (Fail to Reject the Null Hypothesis)

b. Manufacturer's Claim is Not Valid (Reject Null Hypothesis)

$$z = \frac{0.25 - 0.30}{\sqrt{.30 * (1 - .30) / (14 + 14 + 5 + 7 + 6 + 10)}}$$

1] -0.8164966

$$2 * \text{pnorm}(-0.8164966)$$

] 0.4142162

= p-value

$p > \alpha$ $\text{FR } H_0$

$$.414 > .05$$

Decision Errors

Decision errors can occur when choosing to reject or failing to reject the null hypothesis. There are two types of decision errors; Type I and Type II.

A **Type I error** occurs when you reject the null hypothesis when in fact it is true. This error would correspond to taking action when you would have been better off not doing so. A **Type II error** happens when the null hypothesis is accepted (fail to reject) when in fact the alternative hypothesis is true. The Type II error would correspond to taking no action when you would have been better off taking action. The **power** of a test against an alternative hypothesis is the probability that a fixed level, α , significance test will reject the null hypothesis when that particular alternative is true. The following table can help to identify the types of errors.

	H_0 is true	H_a is true
Reject H_0	Type I error	Decision is correct
Fail to reject H_0	Decision is correct	Type II error

Type I Error: We rejected the null hypothesis, but it was the better option

Type II Error: We failed to reject the null hypothesis, but the alternate was the better option

Example:

You are considering whether or not to play the lottery with your favorite numbers. What situations denote a type I and II errors?

	H_0 is true (Won't win)	H_a is true (Would win)
Reject H_0 (buy a ticket)	Type I Error: We bought a ticket, but did not win	Correct Decision: We bought a ticket and our numbers were selected
Fail to reject H_0 (don't buy)	We did not buy a ticket, and our numbers were not chosen	Type II Error: We did not buy a ticket, and our numbers were selected.

Example: Popper 28...continued

A manufacturer of circuits had observed that, on average, $p = 0.03$ of its circuits failed. One of the engineers suggests changes in the design to try to improve this percentage.

It is decided that $n = 100$ circuits would be made using her method. The company will adopt her method if only zero or one of the circuits failed.

Identify the null and alternative hypotheses at play here. What are the possible Type I and Type II errors the company might make with this strategy?

	H_0 is true (> 1 Failed)	H_a is true (0 or 1 Failed)
Reject H_0 (Change Method)	Question 10 Type I Error (B)	Question 11 (A) Correct Decision
Fail to reject H_0 (Keep Current Method)	Question 12 Correct Decision (A)	Question 13 Type II Error (C)

Choice A: Correct Decision
 Choice B: Type I Error
 Choice C: Type II Error