

MATH 3307

Help Using R-Studio

To download R-Studio

Go to the following link:

<http://cran.cnr.berkeley.edu/>

and

<https://www.rstudio.com/products/rstudio/download3/>

Follow the instructions for your computer operating system.

Installing Mosaic and Mosaic Data

In the right window, select the “Packages” tab, and then click install.

In the text box, type “Mosaic” and “MosaicData”

Click Install.

This will take several minutes.

Using Rstudio Packages

Once you have installed Mosaic and Mosaic Data, click the checkboxes next to them, then.....

```
command(filename$column)
```

for example:

```
mean(KidsFeet$length)
```

Basic Commands:

Assign a data set to a variable:

Type the following:

```
assign("x",c(2,3,4,5))
```

This will assign the list: 2, 3, 4, 5 to the variable x.

Basic Commands:

Assign a data set to a variable (method 2)

Type the following:

```
x<-c(2,3,4,5)
```

This will assign the list: 2, 3, 4, 5 to the variable x.

Calculating Mean, Median, and Standard Deviation

Once a list is assigned to variable, you can easily calculate mean, median and standard deviation:

mean(x)

min(x)

median(x)

max(x)

sort(x)

sd(x)

length(x) *How many elements*

fivenum(x) *Gives Min, Q1, Median, Q3, and Max*

Try it out!

Calculate the mean, median, and standard deviation of the following:

4, 6, 10, 11, 13, 15, 16, 20

Graphs in R-Studio

Histograms:

`hist(x)`

Boxplots:

`boxplot(x)`

Dot Plot:

`dotchart(x)`

Stem and Leaf:

`stem(x)`

Pie Chart:

`pie(x)`

Probability Distributions

To enter a Random Variable:

```
assign("x",c(1,2,3,4,5))
```

```
assign("p",c(0.5,0.3,0.1,0.05,0.05))
```

Where $p(1)=0.5$, etc.

For the mean: $\text{sum}(x * p)$

For the variance: $\text{sum}((x - \text{mean})^2 * p)$

Binomial Distributions

For an exact value:

`dbinom(x,n,p)`

For cumulative values: $x=0,1,2,\dots,q$

`pbinom(q,n,p)`

Geometric Distributions

For an exact value:

$dgeom(n-1,p)$

For cumulative values: $x=0,1,2,\dots,q$

$pgeom(n-1,p)$

Hypergeometric Distribution

For an exact value:

`dhyper(success, possible success, sample size, selection)`

For successes going from 0 through highsuccess:

`phyper(highsuccess, possible success, sample size, selection)`

Normal Distributions:

`pnorm(z)` will return the probability of obtaining less than a z-score of z .

`pnorm(x,mu,sigma)` will return a probability of obtaining less than x with a mean of μ and standard deviation of σ (standardization is not required).

Inverse Normal Distributions

`qnorm(p)` will return the z score associated with a given probability (left tail).

`qnorm(p,mu,sigma)` will return the x-value associated with a given probability for a mean of mu and a standard deviation of sigma (left tail).

Creating Scatterplots

Once you have assigned lists “x” and “y” for the explanatory and response variables:

```
plot(x,y)
```

To determine the correlation coefficient:

```
cor(x,y)
```

To determine the coefficient of determination:

```
cor(x,y)^2
```

Regression Lines: LSRL

After data is inputted as lists “x” and “y”

View the scatterplot: `plot(x,y)`

Define the LSRL: `Name=lm(y~x)`

View information on LSRL: `Name`

This will identify the slope and y-intercept which you must place into $y=mx+b$ for the equation of the line.

See the graph of LSRL with scatterplot: `abline(Name)`

Residuals:

To calculate a Residual:

<<Actual Value>> - (LSRL with x-value substituted)

Residual Plots:

Residual = <<Response List>> - (<<slope>>*<<Explanatory List>> + <<y-intercept>>)

plot(<<Explanatory>>,Residual)

Residuals (Method 2)

After assigning the LSRL to a name, we'll use RegLine.

```
Res=residuals(RegLine)
```

```
Res
```

```
plot(<Explanatory Variable>,Res)
```

Non-Linear Regressions:

If the Response List is defined as “y” and the Explanatory List is defined as “x”

For a Quadratic Regression:

$\text{sqrtY}=\text{sqrt}(y)$

$\text{plot}(x,\text{sqrtY})$

For Logarithmic Regression:

$\text{expY}=\text{exp}(y)$

$\text{plot}(x,\text{expY})$

For Exponential Regression:

$\text{logY}=\text{log}(Y)$

$\text{plot}(x,\text{logY})$

Calculating the z^* value:

Use `qnorm(1.##/2)`

For example, for a confidence interval of 95%,

$z^* = \text{qnorm}(1.95/2)$

Calculating a t^* value:

Use `qt(1.##/2,df)`

For example, for a confidence interval of 95% with 12 degrees of freedom:

`qt(1.95/2,12)`

Calculating a p-value (Decision-Making)

If you are using a z-test:

Left Rejection Region: $\text{pnorm}(z\text{-value})$

Right Rejection Region: $1 - \text{pnorm}(z\text{-value})$

Two-sides Rejection Region: $2 * \text{pnorm}(z\text{-value})$ {z must be negative}

If you are using a t-test:

Left Rejection Region: $\text{pt}(t\text{-value}, df)$

Right Rejection Region: $1 - \text{pt}(t\text{-value}, df)$

Two-sides Rejection Region: $2 * \text{pt}(t\text{-value}, df)$ {t must be negative}

Chi Squared Tests:

```
assign("observed",c(list))
```

```
assign("expected",c(list))
```

*This is probability * total value*

```
(observed-expected)^2/expected
```

```
sum((observed-expected)^2/expected)
```

```
1-pchisq(previous line, df)
```

```
df=categories – 1
```