## UH - Math 4377/6308 - Dr. Heier - Fall 2011 HW 6

Due 10/05, at the beginning of class.

Use regular sheets of paper, stapled together. Don't forget to write your name on page 1.

- 1. (1 point) Section 2.1, Problem 3
- **2.** (1 point) Let  $T: \mathbb{R}^5 \to \mathbb{R}^3$ ,  $T(a_1, a_2, a_3, a_4, a_5) = (a_1 + 2a_2 a_3, -a_2 + 3a_3, -a_1 a_2 2a_3)$ . Find bases for the kernel and range of T.
- 3. (0.5 points) Section 2.1, Problem 10
- 4. (0.5 points) Section 2.1, Problem 11
- 5. (1 point) Section 2.1, Problem 13
- 6. (1 point) Section 2.1, Problem 14
- 7. (1 point) Section 2.1, Problem 17
- 8. (1 point) Section 2.2, Problem 3
- 9. (1 point) Section 2.2, Problem 5(a)
- **10.** (1 point) Let  $T_1: \mathbb{R}^2 \to \mathbb{R}^2$ ,  $T_1(a_1, a_2) = (a_1 + a_2, a_1 a_2)$ . Let  $\beta = \{(1, 0), (0, 1)\}$  and  $\gamma = \{(1, 2), (1, 1)\}$ . Compute  $[T]^{\gamma}_{\beta}$ .
- **11.** (1 point) Let  $T_2: \mathbb{R}^2 \to \mathbb{R}^2$ ,  $T_2(a_1, a_2) = (2a_1 + 4a_2, -a_1 a_2)$ . Let  $\beta = \{(1, 2), (-1, 1)\}$  and  $\gamma = \{(2, 1), (2, 0)\}$ . Compute  $[T]^{\beta}_{\beta}$ .
- 12. (1 extra credit point) Section 2.1, Problem 37