

# Info

## An Additional "Series" Video is Posted

7	8 <b>EMCF32 due at 9am</b> Blank Slides: page <b>4-per video notes, video</b> Homework 11 due in lab/workshop	9 <u>Series Video</u>	10 <b>EMCF33 due at 9am</b> <b>Homework 12 posted</b>	11	12 <b>EMCF34 due at 9am</b> Quiz in lab/workshop	13 <b>Quiz 11 closes (10.6-10.7)</b>
14	15 EMCF35 due at 9am Homework 12 due in lab/workshop	16	17 EMCF36 due at 9am Homework 13 posted	18	19 EMCF37 due at 9am Quiz in lab/workshop	20 <b>Quiz 12 closes (11.1-11.4)</b>

Test  
4

# Comparison Tests

**Idea:** If the terms eventually behave like or better than the terms in a known convergent series, then the series converges. If the terms eventually behave like or worse than the terms in a known divergent series then the series diverges.

## strict Comparison Test

Suppose  $0 \leq a_n \leq b_n$  for  $n$  sufficiently large.

If  $\sum_{n=1}^{\infty} b_n$  converges then  $\sum_{n=1}^{\infty} a_n$  converges.

If  $\sum_{n=1}^{\infty} a_n$  diverges then  $\sum_{n=1}^{\infty} b_n$  diverges.

# Limit Comparison Test $\leftarrow$ "Looks like"

(idea... Stated more precisely below.)

Suppose  $0 \leq a_n, 0 \leq b_n$  for  $n$  sufficiently large.

If  $a_n$  behaves like  $b_n$  (in the limit as  $n \rightarrow \infty$ )

then  $\sum_{n=1}^{\infty} b_n$  converges if and only if  $\sum_{n=1}^{\infty} a_n$  converges.

$$\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = L \quad \text{where } 0 < L < \infty$$

$\rightarrow a_n \approx L b_n$  for large  $n$ .

$$0 \leq a_n, \quad 0 \leq b_n$$

What if  $\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = 0$  ?

eventually

for large  $n$ .

more

$$0 \leq a_n \leq b_n$$

If  $\sum b_n$  converges then  $\sum a_n$  converges.

If  $\sum a_n$  diverges then  $\sum b_n$  diverges.

What if  $\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = \infty$  ?

eventually

more

$$0 \leq b_n \leq a_n$$

If  $\sum a_n$  converges then  $\sum b_n$  converges.

If  $\sum b_n$  diverges then  $\sum a_n$  diverges.

**Example:**  $\sum_{n=2}^{\infty} \frac{1}{n^2+1}$

Terms:  $\frac{1}{n^2+1} \geq 0$ .  $\frac{1}{n^2+1} \rightarrow 0$   
(Get to work!)

3 attempts: ①

(Series) C.T. -  $0 \leq \frac{1}{n^2+1} \leq \frac{1}{n^2}$

AND  $\sum_{n=1}^{\infty} \frac{1}{n^2}$  is a convergent p-series.

$\therefore$  by the C.T.  $\sum_{n=1}^{\infty} \frac{1}{n^2+1}$

converges.

L.C.T. -  $\lim_{n \rightarrow \infty} \frac{\frac{1}{n^2+1}}{\frac{1}{n^2}} = \lim_{n \rightarrow \infty} \frac{n^2}{n^2+1} = 1$   
( $0 < 1 < \infty$ )

AND  $\sum_{n=1}^{\infty} \frac{1}{n^2}$  is a convergent p-series.

$\therefore$  by the C.T., our series converges.

③  $\sum_{n=1}^{\infty} \frac{1}{n^2+1}$   $\frac{1}{n^2+1} \geq 0$

Integral Test:  $f(x) = \frac{1}{x^2+1}, x \geq 1$

$f(n) = \frac{1}{n^2+1}$

$f$  is decreasing for  $x \geq 1$ .

$\int_1^{\infty} \frac{1}{x^2+1} dx = \lim_{t \rightarrow \infty} \int_1^t \frac{1}{x^2+1} dx$

$= \lim_{t \rightarrow \infty} \arctan(x) \Big|_1^t$

$= \lim_{t \rightarrow \infty} (\arctan(t) - \frac{\pi}{4})$

$= \pi/4 < \infty$

$\therefore$  by the integral test, the series converges.

**Example:**  $\sum_{n=3}^{\infty} \frac{2n^2 + 3n + 1}{3n^4 + 5n + 6}$

Terms:  $\frac{2n^2 + 3n + 1}{3n^4 + 5n + 6} \geq 0$

$\frac{2n^2 + 3n + 1}{3n^4 + 5n + 6} \rightarrow 0$

(Get to work)

$\lim_{n \rightarrow \infty} \frac{\frac{2n^2 + 3n + 1}{n^2}}{\frac{3n^4 + 5n + 6}{n^4}} = \lim_{n \rightarrow \infty} \frac{2n^4 + 3n^3 + n^2}{3n^4 + 5n + 6} = \frac{2}{3}$

AND  $\sum_{n=1}^{\infty} \frac{1}{n^2}$  converges.  $\therefore$  From the LCT our series converges.   
 (Conv. p-series)  $(0 < \frac{2}{3} < \infty)$

**Example:**  $\sum_{n=2}^{\infty} \frac{n^2 + 2n + 1}{2n^3 + 7\sqrt{n} + 6}$

Terms!  $\frac{n^2 + 2n + 1}{2n^3 + 7\sqrt{n} + 6} \geq 0$

$\frac{n^2 + 2n + 1}{2n^3 + 7\sqrt{n} + 6} \rightarrow 0$ .  
(do some more work)

$\lim_{n \rightarrow \infty} \frac{\frac{n^2 + 2n + 1}{n}}{\frac{2n^3 + 7\sqrt{n} + 6}{n^3}} = \dots = \frac{1}{2}$

$(0 < \frac{1}{2} < \infty)$

AND  $\sum_{n=2}^{\infty} \frac{1}{n}$  diverges by p-series test.

$\therefore$  by the LCT, our series diverges.

## Popper 25

1. 
$$\sum_{n=1}^{\infty} \frac{2n+1}{3n^3+5n}$$

( 0 ) Converges

( 1 ) Diverges


2. 
$$\sum_{n=2}^{\infty} \frac{2n+1}{3n^2+5n}$$

( 0 ) Converges

( 1 ) Diverges

# Root and Ratio Tests

(Determining Whether a Series Behaves Like a Geometric Series)

$$\sum_{n=1}^{\infty} a_n, \quad a_n \geq 0$$


**Idea:** If the terms behave better than the terms in a convergent geometric series, then the series converges. If the terms behave worse than the terms in a divergent geometric series then the series diverges.



$$\sum_{n=1}^{\infty} a_n, \quad \underline{\underline{a_n \geq 0}}$$

## Root Test

Suppose  $\lim_{n \rightarrow \infty} (a_n)^{1/n} = r$ . *changing powers*

$\left\{ \begin{array}{l} r < 1 \text{ implies the series converges} \\ r > 1 \text{ implies the series diverges} \\ r = 1 \text{ gives no conclusion} \end{array} \right.$

$a_n \approx r^n$  for  $n$  large. (in a limiting sense)

## Ratio Test

Suppose  $\lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n} = r$ . *handles factorials and/or changing powers*

$\left\{ \begin{array}{l} r < 1 \text{ implies the series converges} \\ r > 1 \text{ implies the series diverges} \\ r = 1 \text{ gives no conclusion} \end{array} \right.$

For  $n$  large

$$a_{n+1} \approx r a_n$$

$$a_{n+2} \approx r a_{n+1} \approx r^2 a_n$$

$$\vdots$$

$$a_{n+k} \approx r^k a_n$$

Recall:  $n! \ll n^n$

From our knowledge of growth rates, we strongly suspect that this series converges.

**Example:**  $\sum_{n=1}^{\infty} \frac{n!}{n^n}$

Terms  $\geq 0$   $(n+1)! = (n+1)n!$

Try ratio test:  $\lim_{n \rightarrow \infty} \frac{\frac{(n+1)!}{(n+1)^{n+1}}}{\frac{n!}{n^n}} = \lim_{n \rightarrow \infty} \frac{\cancel{(n+1)!} \cdot n^n}{(n+1)^{n+1} \cdot \cancel{n!}}$

$$= \lim_{n \rightarrow \infty} \frac{n^n}{(n+1)^n} = \lim_{n \rightarrow \infty} \left( \frac{n}{n+1} \right)^n$$

$$= \lim_{n \rightarrow \infty} \left( 1 - \frac{1}{n+1} \right)^n$$

$\lim_{n \rightarrow \infty} \left( 1 + \frac{a}{n} \right)^n = e^a$

$$= \lim_{n \rightarrow \infty} \left[ \left( 1 - \frac{1}{n+1} \right)^{n+1} \right]^{\frac{n}{n+1}} = \frac{1}{e} < 1$$

$\therefore$  by the ratio test, our series converges.

Note: The root test would be tough to use here.

As another approach, (if you are clever) you can also use the comparison test to show this series converges.

Growth rates -  $n^5 \ll 3^n$

**Example:**  $\sum_{n=1}^{\infty} \frac{n^5}{3^n}$

From our knowledge of growth rates, we strongly suspect that this series converges.

ratio + root both work

video



$$\lim_{n \rightarrow \infty} \left( \frac{n^5}{3^n} \right)^{1/n}$$

$$\frac{n^5}{3^n} \geq 0$$

$$= \lim_{n \rightarrow \infty} \frac{\frac{5/n}{n}}{3}$$

$$\lim_{n \rightarrow \infty} n^{1/n} = 1$$

$$= \frac{1}{3} < 1$$

$\therefore$  from the root test,  
our series converges.

**Note:** You can also use the ratio test to show this series converges, and if you are clever, you can use the comparison test to show the series converges.

## Popper 25

3. 
$$\sum_{n=1}^{\infty} \frac{2^n}{n!}$$

( 0 ) Converges

( 1 ) Diverges

4. 
$$\sum_{k=1}^{\infty} \frac{k^2}{e^k}$$

( 0 ) Converges

( 1 ) Diverges

## Review

### Convergence Tests for Series

1. Geometric Series
2. Divergence Test

### Convergence Tests for Series with Nonnegative Entries

1. Comparison Test
2. Limit Comparison Test
3. Integral Test
4. p-series Test
5. Root Test
6. Ratio Test